




## Bearing Manufacturing of Canada



NJ213 Bearing 2D drawings and 3D CAD models

2.559 Inch | 65 Millimeter x 4.724 Inch | 120  
Millimeter x 0.906 Inch | 23 Millimeter NACHI  
NJ213 Cylindrical Roller Bearings

Bearing No. NJ213

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight	1.058
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	65MM Bore; Straight Bore Profile; 120MM Outside Diameter; 23MM Width; Steel Cage Material; RBEC 1   ISO P0; Single Row;



## Bearing Manufacturing of Canada

	Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Manufacturer Item Number	NJ213
Weight / LBS	2.33
B	0.906 Inch   23 Millimeter
d	2.559 Inch   65 Millimeter
D	4.724 Inch   120 Millimeter
Enclosure	Open
Configuration	Single Row
Bore Type	Cylindrical Bore
Bore Size	65 mm
Inside Ring Outside Diameter	79.6 mm
Fillet Radius/Chamfer	1.5 mm
r1	1.5 mm
Dynamic Load Rating	84,000 N
Static Load Rating	94,500 N
Limiting Speed - Grease	5,300 rpm
Limiting Speed - Oil	6,300 rpm
Radial Clearance	0.040 to 0.070 mm
db (min)	73.5 mm
db (max)	77 mm
dc (min)	81 mm
dd (min)	87 mm
Da (max)	111.5 mm
ra (max)	1.5 mm



## Bearing Manufacturing of Canada

ra1 (max)	1.5 mm
-----------	--------